

RECEIVED JOSE 12/36 RECEIVED

STATE OF OREGON

OCT - 2 1985

DEC 9 1985

355/7W-23dc

WATER WELL REPORT

(as required by ORS 537.765)

WATER RESOURCES DEPT

WATER RESOURCES DEPT

SALEM, OREGON

SALEM, OREGON

(for official use only)

(1) OWNER:

Name FLOYD MARTENS
Address 230 HUSSY LN.
City GRANTS PASS State OR

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air [X] Driven []
Rotary Mud [] Dug []
Cable [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal []
Thermal: Irrigation [] Withdrawal [] Reinjection []
Other: Piezometric [] Grounding [] Test []

(5) CASING INSTALLED:

Steel Threaded [X] Plastic Welded []
6" Diam. from 1 ft. to 80 ft. Gauge 250

LINER INSTALLED:

Steel Threaded [] Plastic Welded [X]
4" Diam. from 60 ft. to 120 ft. Gauge 250

(6) PERFORATIONS:

Perforated? [X] Yes [] No
Size of perforations 1/2 in. by 6 in.
Liner perforations from 100 ft. to 120 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No If yes, by whom?
Air test [X] 16 gal./min. with drill stem at 100 ft. 1 hrs.
Bailer test
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes [] No [X]
Well seal—Material used cement
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Amount of sealing material 2 sacks [X] pounds []
How was cement grout placed? Slurry pump
Was pump installed? NO Type HP Depth ft.
Was a drive shoe used? [X] Yes [] No Plugs Size: location ft.
Did any strata contain unusable water? [] Yes [X] No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL by legal description:

County JOSEPHINE SW 1/4 SE 1/4 of Section 23
Township 35 Range 7 WM.
Tax Lot 300 Lot Block Subdivision
MAILING ADDRESS OF WELL (or nearest address) SAME

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found 90 ft.
Static level 50 ft. below land surface. Date 9-5-85
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 120 ft. Depth of completed well 115+- ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Red clay, Brown clay gravels, gravels sands, shale quartz.

Date work started 9-5-85 /completed 9-5-85
Date well drilling machine moved off of well 9-5 19 85

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Randall E. Orella Date 9-9 1985

(bonded) Water Well Constructor Certification:

Bond MIC DRILLING, INC. (Surety Company Name)
On behalf of 5545 Riverbanks Rd., Grants Pass, Oregon 97526

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) [Signature] (Water Well Constructor)
(Dated) 9-9-85

NOTICE TO WATER WELL CONSTRUCTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

SP*46866-690